



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Report from Portland, Oreg.—Cerebro-spinal meningitis.*

Surgeon Magruder reports, May 3:

The total number of cases of cerebro-spinal meningitis occurring in this city to May 1 is 20, of which 14 have been fatal. In only one case has a specimen been obtained by ante-mortem lumbar puncture, and in this the diplococcus was found.

*Report from Philadelphia, Pa.—Cerebro-spinal meningitis.*

Surgeon Gassaway reports, May 6 and 11:

Cerebro-spinal meningitis has been reported in this city during the past sixty days. During the month of April 125 cases, with 43 deaths, were reported. During the week ended May 3, 14 deaths were reported.

Week ended May 10, 1907. Twenty-three cerebrospinal fever cases, 10 deaths.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES  
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Oakland*.—Month of April, 1907. Estimated population, 200,000. Total number of deaths, 165, including diphtheria 1, enteric fever 1, whooping cough 1, and 23 from tuberculosis. Cases of contagious diseases reported: Diphtheria 12, enteric fever 4, measles 7, scarlet fever 4, whooping cough 1, and tuberculosis 7.

COLORADO.—Month of January, 1907. Estimated population, 615,570. Reports to the State board of health show as follows: Diphtheria, 55 cases, 7 deaths; enteric fever, 66 cases, 15 deaths; scarlet fever, 225 cases, 17 deaths; smallpox, 103 cases, no deaths. Total number of deaths from all causes, 1,006.

Month of February, 1907. Diphtheria, 32 cases, 8 deaths; enteric fever, 57 cases, 12 deaths; scarlet fever, 159 cases, 19 deaths; smallpox, 104 cases, no deaths. Total number of deaths from all causes, 860.

Month of March, 1907. Diphtheria, 43 cases, 10 deaths; enteric fever, 58 cases, 11 deaths; scarlet fever, 376 cases, 28 deaths; smallpox, 144 cases, 2 deaths. Total number of deaths from all causes, 875.

FLORIDA—*Pensacola*.—Month of April, 1907. Estimated population, 22,256. Total number of deaths, 41, including whooping cough 3 and 1 from tuberculosis. Cases of contagious diseases not reported.

ILLINOIS—*Alton*.—Month of April, 1907. Estimated population, 16,700. Total number of deaths, 18, including 6 from tuberculosis. Cases of contagious diseases reported: Tuberculosis 6.

INDIANA.—Month of March, 1907. Estimated population, 2,648,549. Total number of deaths, 3,502, corresponding to an annual death rate of 15.3 per 1,000 of population, including 38 from diphtheria, 40 from enteric fever, 15 from measles, 18 from scarlet fever, 10 from whooping cough, and 431 from tuberculosis.